

S	Α	F	E.	T١	/	D	Α	T	Α	S	Н	Ε	E.	Ī
---	---	---	----	----	---	---	---	---	---	---	---	---	----	---

Issue: May 20, 2021, version 2

Product: Orfit® Flex NS

Page: 1 of 6

1. Substance/preparation and company identification.

Product name: Orfit® Flex NS

Use: Thermoplastic splinting Company identification: Orfit Industries NV

Vosveld 9a

B-2110 Wijnegem

Belgium

Telephone: +32 (0)3 326 20 26 E-mail: welcome@orfit.com Website: www.orfit.com

Emergency Phone number: +32 (0)3 326 20 26 Emergency Phone number US: +1 516 659 9251

2. Hazard Identification.

The product is not classified as hazardous.

3. Composition/information on ingredients.

Preparation based on: polycaprolactone plus coating dispersion water based with anti-bacterial additive.

4. First-aid measures.

Eye: No risk, if the product is used for the intended use.

Inhalation: No risk, if the product is used for the intended use.



SAFETY DATA SHEET

Issue: May 20, 2021, version 2

Product: Orfit® Flex NS

Page: 2 of 6

4. First-aid measures (continuation).

Skin: No risk, if the product is used for the intended use.

In case of persistent symptoms, consult a doctor.

5. Fire-fighting measures.

Flash point: $527^{\circ}F - 275^{\circ}C$

Extinguishing methods: Powder, foam, AFFF, CO2, water and water spray.

Specific hazards: Formation of dangerous gas/vapours in case of

decomposition:

Carbon monoxide (CO) and carbon dioxide (CO2) Monomer (2-Oxepanone, Hexan-6-olide, CAS

502-44-3)

Special protective equipment: Wear a self-contained breathing apparatus.

6. Accidental release measures.

Precautions in relation to Wear protective clothing and keep not protected

persons: persons on a secure distance.

Measure to protect the

environment:

Keep out of the sewerage and effluent.

Methods for cleaning up or

taking up:

Collect mechanically.



SAFETY DATA SHEET Issue: Product: Page:	May 20, 2021, version 2 Orfit* Flex NS 3 of 6
7. Handling and storage.	
Handling:	Store horizontal and in the original packaging.
Other precautions concerning storage:	Protect against humidity and direct sun exposure at a temperature between 50°F and 86°F – 10°C and 30°C.
8. Exposure controls and personal	protection.
This product does not have establi	shed exposure limits
No special measures need to be ta	ken.
9. Physical and chemical properties	25.
Form:	Sheets.
Colour:	Naturel (Beige).
Odour:	Odourless.
Change of state:	Becomes mouldable at 136-140°F / 58 – 60°C. Boiling point: not determined.
Flash point:	527°F – 275°C
Flammability:	Non-flammable.
Decomposition temperature:	392°F – 200°C

Auto-ignition temperature:

The product doesn't auto-ignite.



_								_				
~	Λ	_		г\/	$\overline{}$		ГΑ	_		_		г
`	ш	-	-	ıv	- 1	ш	1 4	•	н	-	-	

Issue: May 20, 2021, version 2

Product: Orfit® Flex NS

Page: 4 of 6

9. Physical and chemical properties (continuation).

Explosive properties: No danger for explosion.

Density at $140^{\circ}F - 60^{\circ}C$: 1.23 g/cm³

Solubility in water: Insoluble in water

Partition coefficient (n-octane/water):

Not determined.

Viscosity 212°F – 100°C: Not determined.

10. Stability and reactivity.

Circumstances to avoid thermal decomposition:

Excessive temperatures.

Materials and substances to

avoid:

Acids and alkalis.

Hazardous decomposition

products:

Caprolactone / monomer above 392°F – 200°C.

11. Toxicological information.

Acute toxicity

LD/LC-50: No date.

Eye: No irritation.

Skin: No irritation.



SAFETY DATA SHEET

Issue: May 20, 2021, version 2

Product: Orfit® Flex NS

Page: 5 of 6

11. Toxicological information (continuation).

Other toxicological information: When used and handled according to the specifications, the

product does not have any harmful effects on health to our

experience and the information provided to us.

12. Ecological information.

Degradation: Orfit® Flex NS is biodegradable.

Remark: Orfit® Flex NS is not harmful for nature.

13. Disposal considerations.

Recommendation: Disposal accordance with local regulations.

14. Transport information.

Transport by ground ADR/RID

(across borders): Not a regulated hazardous material.

ADR/GGVS/E class: N/A

Transport by sea IMDG: Not a regulated hazardous material.

IMDG-class: N/A

Transport by air ICAO-TI

and IATA-DGR: Not a regulated hazardous material.

ICAO/IATA-class: N/A



SAFETY DATA SHEET

Issue: May 20, 2021, version 2

Product: Orfit® Flex NS

Page: 6 of 6

15. Regulatory information.

European Community regulations Medical Device Directive 2007/47/EC effective as from March 2010.

FDA product code ISH.

16. Other information.

Literature: See "Brochure Orthotic Fabrication Materials" and

instructions for use.

To our actual knowledge, the information contained herein is accurate as of the date of this document. This Safety Data Sheet describes products on the basis of the safety aspects. This information shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Recipients of our product must take responsibility for observing existing law and regulations.

Safety Data Sheet is conform according Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

History: PDF print on: 20 May 2021.

Supersedes version: 16 August 2010.

Version: 2